



GOVERNMENT OF GUJARAT
COMPETENT PERSON CERTIFICATE
(Prescribed under Rule 2-A)

CERTIFICATE NO. GUJ/DISH/CPT/A/0255/2014.

CERTIFICATE OF COMPETENCY ISSUED TO A PERSON OR AN INSTITUTION IN PURSUANCE TO RULE 2(A) MADE UNDER SECTION 2(ca) OF THE FACTORIES ACT, 1948.

I, P.M.SHAH, Director, Industrial Safety and Health, Gujarat State in exercise of the powers conferred on me under Section 2 (ca) of the Factories Act and the rules made there under hereby recognize Shri Purvesh M. Shah employed in C/o. Siddhi Consultants, Shop No.3, Comm., Plot No.C-3/3, Nr. S.B.I. G.I.D.C. Ankleshwar-393 002 to be a competent person for the purpose of carrying out tests, examinations, inspections and certifications under following section/s and the rules made there under in a factory located in Gujarat State.

1. Section 31 : Pressure Plant.


The Certificate is Valid from Date :- 27/03/2026 to 26/03/2027.

This certificate is issued subject to the conditions stipulated hereunder:-

- 1) Tests, examinations and inspections shall be carried out in accordance with the provisions of the Act and the rules made there under.
- 2) Tests, examinations and inspections shall be carried out under the direct supervision of the competent person or by a person so authorized by an institution recognized to be a competent person.
- 3) The certificate of competency issued in favour of a person shall stand cancelled if the person declared competent leaves the organization mentioned in his application.
- 4) The institution recognized as a competent person shall keep the Director, Industrial Safety & Health informed of the names, designations and qualifications of the persons authorized by it to carry out tests, examinations and inspections.
- 5) The copies of certificates of examinations / tests issued by you after due examinations / tests are to be marked to the Inspector of Factories concerned within seven days in all cases where defects are noticed and repairs or alternations are suggested on its use.
- 6) The record of the work done by the competent person should be maintained in the Log Book, incorporating therein the details regarding work done, observations made, directives given etc.
- 7) Certificate No. and validity period should invariably recorded by you in all the copies of certificates of examinations / tests signed and issued by you.
- 8) Every examination / test shall conform to the relevant standard, if it is not specified in the Act or rules made there under.
- 9) Facilities and equipments to be used by you should be maintained and kept in a good and efficient working conditions at all times and calibrated from time to time.
- 10) Application for renewal of Competent Person Certificate shall be made at least two months before the date of expiry of the certificate to the Director, Industrial Safety & Health with Log book for the period of previous nine months in case of first renewal and twelve months in case of second and subsequent renewal.
- 11) Save as provided in Rule 61(9)(a) of section 31, in no case conditional certificate shall be issued.

Station: Ahmedabad.
Date : 20/03/2026




(P. M. SHAH)
Director,
Industrial Safety & Health,
Gujarat State, Ahmedabad.